

# Pullman

## Desk



### About Pullman Desk

The Pullman Desk is a single-user freestanding desk with an upholstered plinth base. The work surface provides a space for focused work or a quiet retreat without distractions in open plan spaces—from busy offices to university communal areas. The wall panels, upholstered body, and foam construction help to provide a level of acoustic comfort needed for concentration. Designed to fit in with the Pullman product family, and complement naughtone chairs and stools, the Pullman Desk maintains visual cohesion across the floorplate.


Choose from an array of attractive colours, finishes, and fabrics to tailor the Pullman Desk to your unique environment. The desk features a scoop cutout for power and data integration, as well as a cable zipper sleeve for discrete cable management. The scoop can also accommodate a clamp mount monitor arm.

### Compliance

- SCS Indoor Advantage™ Gold Certificate
- FSC® certified products available upon request
- naughtone is FISP and ISO14001 certified

### Sizes

All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch



PULDH  
 Pullman Desk 1200  
 mm W 1300 D 710 H 1200 Desk 750  
 inch W 51 D 28 H 51 Seat 29.5

### Table Top Options



White / Black MFMD  
 with reverse chamfer  
 polished MDF edge, or  
 matching edge detail




Oak Veneer  
 with reverse chamfer  
 polished MDF edge, or  
 matching edge detail




Walnut Veneer  
 with reverse chamfer  
 polished MDF edge, or  
 matching edge detail

### Other Options



Two Tone  
 Upper outer / Plinth

### Accessories



Power and Data

1 Pullman Desk Pod - Screen Left

# Pullman

## Desk Pod



2 Pullman Desk Pod - Screen Right



Pullman Desk Pod designed by naughtone 2021

### About Pullman Desk Pod

An extension of the Pullman Desk, the Pullman Desk Pod provides a space for focused work or a quiet retreat without distractions in open plan spaces— from busy offices to university communal areas. This single-user desk pod with an upholstered plinth base boasts extra panels to create an almost full enclosure. Designed to coordinate with the Pullman product family, and complement naughtone chairs and stools, the Pullman Desk Pod adds visual cohesion across the floorplate.


Choose from an array of attractive colours, finishes, and fabrics to tailor to your unique environment. The desk pod features power and data integration, including a cable zipper sleeve for discrete cable management, and can accommodate a clamp mount monitor arm.

### Compliance


- SCS Indoor Advantage™ Gold Certificate
- FSC®certified products available upon request
- naughtone is FISP and ISO14001 certified

### Sizes

All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch



**PULDPHR**  
Pullman Desk Pod 1200  
Access right  
mm W 1300 D 1600 H 1300 Desk 750  
inch W 51 D 63 H 51 Seat 29.5



**PULDPHL**  
Pullman Desk Pod 1200  
Access left  
mm W 1300 D 1600 H 1300 Desk 750  
inch W 51 D 63 H 51 Seat 29.5


### Table Top Options



**White / Black MFMD**  
with reverse chamfer  
polished MDF edge, or  
matching edge detail




**Oak Veneer**  
with reverse chamfer  
polished MDF edge, or  
matching edge detail




**Walnut Veneer**  
with reverse chamfer  
polished MDF edge, or  
matching edge detail

### Other Options



**Two Tone**  
Plinth / screen

### Accessories



**Power and Data**







1



2





# Pullman Desk Technical Specifications

## Testing

Our seating is designed to meet or exceed all EN performance requirements per **EN16139:2013**, which includes the following tests:

- Seat and back static load test
- Seat front edge static load test
- Vertical static load on back
- Foot rest and leg rest static load test
- Arm sideways static load test
- Arm downwards static load test
- Vertical upwards static load on arm rests
- Seat and back durability test
- Seat front edge durability test
- Leg forward static load test
- Leg sideways static load test
- Seat impact test
- Back impact test
- Arm impact test

## Flammability

The cold cure foam material has been tested to meet the following standards:

British standard  
**5852:2006 Part 2**

California Technical Bulletin  
**117-2013**

Italian standards  
**UNI 9175-CLASS 1.IM**

The flammability standard of the covering fabric is dependent on the choice made by the customer, details of the flammability rating of specific fabrics can be found on supplier's websites listed below.

- [www.kvadrat.dk](http://www.kvadrat.dk)
- [www.camirafabrics.com](http://www.camirafabrics.com)
- [www.butefabrics.com](http://www.butefabrics.com)
- [www.panaz.com](http://www.panaz.com)
- [www.maharam.com](http://www.maharam.com)
- [www.vescom.com](http://www.vescom.com)
- [www.ultrafabricsllc.com](http://www.ultrafabricsllc.com)
- [www.crestleather.com](http://www.crestleather.com)

## Servicing




If a component is damaged and needs replacing then please email our team with an image of the damaged part and reference your order number, we will be happy to facilitate any replacements.

## Warranty




naughtone offers a **10 Year** warranty across all products. Details on the terms and conditions of naughtones warranty can be found at [naughtone.com/warranty](http://naughtone.com/warranty)

# Pullman Desk Technical Specifications



Product Code and Description <small>All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch</small>	A Width Overall	B Depth Overall	C Height Overall	D Desk Height	E Desk Width	F Desk Depth	G Entrance Width	H Weight
<b>1 PULDH</b> Pullman Desk 1200	1300 mm 51 in	710 mm 28 in	1300 mm 51 in	750 mm 29.5 in	1200 mm 47 in	650 mm 25.5 in	-	71 kg 157 lbs
<b>2 PULDPHR</b> Pullman Desk Pod 1200 Access right	1300 mm 51 in	1600 mm 63 in	1300 mm 51 in	750 mm 29.5 in	1200 mm 47 in	650 mm 25.5 in	850 mm 33.5 in	113 kg 249 lbs
<b>3 PULDPHL</b> Pullman Desk Pod 1200 Access left	1300 mm 51 in	1600 mm 63 in	1300 mm 51 in	750 mm 29.5 in	1200 mm 47 in	650 mm 25.5 in	850 mm 33.5 in	113 kg 249 lbs

## Measuring Guide





# Pullman Desk Environmental Product Summary



## Environment Attributes

- naughtone is **FISP** and **ISO14001** certified
- naughtone is **FSC®** certified
- **71kg** total weight
- **6.1% Recyclable**
- **83.2% Reusable**
- **5.8% Recycled Content**
- **Indoor Advantage™ Gold** ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2016) and ANSI/BIFMA e-3-2014e (Credits 7.6.1, 7.6.2, 7.6.3)


These attributes can help you to achieve criteria towards **LEED, BREEAM, Ska** and **WELL** building certifications




# Pullman Desk Environmental Product Summary

## Material Percentage Split


- 61.52% Plywood
- 21.63% MDF
- 10.77% Fabric
- 5.29% CMHR Foam
- 0.41% Mild Steel
- <1% Stainless Steel
- <1% Mild Steel Zinc Plated
- <1% Polyethylene CMHR Foam
- <1% Polypropylene



## Post Consumer Recycled Content



## Recyclable Content



## Product Specific Design Statement

The **Pullman Desk** is available in a range of finishes but for the purpose of this document we have a specific example from the range:

### Pullman Desk with White MF MDF Top

The Pullman Chair frame is constructed from plywood and particle board then topped with CMHR foams before being upholstered.

The tablet top is CNC cut from white melamine faced Medium-density fibreboard, with the raw edge polished and finished with a hard-wearing spray lacquer.

## CSR Statement

naughtone has always considered the environment throughout our design and manufacturing process. We understand that as we continue to grow, so does our potential impact on our surroundings. As most of our raw materials are simple, we have great control over their sources, and are proud to be able to offer **FSC®** certified upholstered products and use recycled metals in our table ranges. The addition of our North American manufacturing provision also helps to keep manufacturing miles to a minimum, as our market continues to grow in the USA. Finally, naughtone offers a 'bring back' programme, where the client is able to return the product to our factory, where we will be happy to breakdown and recycle the parts for you.

Where sustainable sources are quoted, and a chain of custody is required by a customer this must be indicated on the purchase order to naughtone. A chain of custody requested after an order has been placed or delivered may be difficult to recover.

Figures stated in the Environmental product summary may vary based on model and options selected, we have based this document on a specific example when produced in the United Kingdom. Recycled content calculations are taken from supplier information and industry averages, material variables are likely to affect the figures which may result in higher or lower percentages.

This document will be reviewed and updated periodically and is subject to change without notice.



FSC® certified products available upon request



naughtone offers PEFC certified products





## 1 Design

Every aspect of the naughtone product ranges has been designed with the environment considered, from ethical material choice and production efficacy to storage efficiency and ease of disassembly.

Dense foam sets and resilient fabrics are selected for their longevity and effectiveness across sectors. Durable high quality finishes such as powder coated bases in a range of colours allow clients the freedom of finish options. Finish samples are available allowing clients to make informed decisions and retain to add to their finish libraries for future reference.

## 2 Raw Material

Local supply of raw materials is employed for the production of our products when possible, procured from suppliers that are quality inspected for extraction methods and meet the highest environmental standards.

## 3 Production

As many of our products are assembled by hand the energy expenditure wasted from machinery during the production process is kept to a minimum.

All fabrics are cut to ensure optimum efficiency with fabric usage and reduced waste consumption per unit.

All production sites have recycling facilities for any excess product that cannot be used elsewhere, which is then managed by a professional third party.

## 4 Distribution

Distribution of naughtone products generally occurs directly between the manufacturing site to the client. Production is localised when possible to the US or UK regions, reducing the carbon footprint and miles travelled for each product.

Many items are flat packed for delivery or shipped disassembled with efficient, minimised packaging; optimizing the transportation vessel space.

## 5 Usage

naughtone products do not require energy or water to function, thus no environmental exchange takes place and no waste is generated during the life of the product.

The only foreseeable need is the cleaning of the product for general maintenance. This includes regular vacuuming to remove dirt and dust particles on upholstery items, and using a dry or damp cloth to wipe non-upholstery items.

This is recommended for all products utilised under conditions of normal wear and is expected to have negligible environmental impacts.

## 6 End of Life

Although our products are durable and demonstrate timeless design, naughtone products are manufactured in such a way that they can be easily disassembled at the end of life and most of the componentry can be either recycled or re-used as applicable.

As a company we are also happy to accept the return of products, to help re-home or recycle furniture or components at the end of the products useful life.

### UK Showroom

6 Bakers Yard  
Clerkenwell  
London EC1R3DD  
T: +44 (0)20 389 22 788

### US Showroom

Suite 11-88  
222 Merchandise Mart Plaza  
Floor 11  
Chicago IL 60654

### naughtone HQ

Knaresborough Tech Park  
Manse Lane  
Knaresborough HG5 8LF

T: +44 (0) 1423 816 500  
E: sales@naughtone.com

[www.naughtone.com](http://www.naughtone.com)